Mo In-l		<u>ail</u> 046x.013(1.17x0.33) - Tail LG=.520(13.21) Contact Spacing x .200 [5.08] Row Spacing	THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MA	STER	ORIGINAL ①
0.500[12.70]	0.156[3.96]	7.028 [178.51] ————————————————————————————————————			ION A-A
T	A			SECI	
0.473[12.01]	EDRG .095 [2.41] Point of Contact (FROM BTM OF SLOT) Card Slot Accepts .054 [1.37] to .070 [1.78] Thick P.C. Board				
0.47	See Accompanying Pages for: Contact Bend Details Mounting Options	307 / 357 Card Edge (Part Number: 357-088-	NC NTARIO A MUSE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	AC AD REFERENCE NO DRAWN: J.LEE CHECKED: SCALE: NTS DRAWING NUMBER 307 Assembly	DATE: AUG. 11/09 DATE: SHEET 1 OF 3 ISSUE 1



