



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.





ISSUE NUMBER

(1)









MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


NOTES:

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
			DRAWING NUMBER: 628-11W1222-5N2		ISSUE
			PART NUMBER: 628-11W	1222-5N2	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female


7W2 Male/Female





(1)

21W4 Male/Female



628-11W1222-5N2


47.05 23.53 14.49 14.49 0.5		33.30 33.30 		63.50 31.75 00 9.70 9.70 ++++++++++++++++++++++++++++++++++++		
	11W	V1 Male/Female	27W2 Male/Femal	e		
47.05 14.45 14.57 14	B Female 31.78 72.43 72.87 72	33.30 16.65 9.70 8.31 9.70		e3.50 31.75 4 + + + + + + + + + + + + + + + + + + +		
		V2 Male/Female	21W1 Male/Femal	e		
CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2						
	COMBINATIO	COMBINATION D-SUB		DATE: JAN. 01/20	/2019	
	CHECKED: DATE:		DATE:			
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4	
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-11W	1222-5N2	ISSUE	
2011/03/201-OR RUNS COWFLIANCT.	YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS	PART NUMBER: 628-11W1222-5N2 1			

WITHOUT WRITTEN PERMISSION.

5W5 Male

5W5 Female

COMPLIANT



8W8 Male

 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male



25W3 Male



47.00 23.53 23.53 47.00 9.70 14.51 9.32 14.51 9.32 14.51 9.70 14.51 9.70 14.51 9.70 14.51 9.70 9.



36W4 Female




13W3 Male



36W4 Male







13W6 Male



43W2 Male





17W5 Female

.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female



43W2 Female


47W1 Female





17W5 Male











				SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20)19		
			CHECKED:	DATE:			
CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET 4 OF	4		
ION DIRECTIVES IS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA	ANADA OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	DRAWING NUMBER: 628-11W1222-5N2		ISSUE		
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-11V	/1222-5N2	1		



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.