


THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

ORIGINAL

(1)





NOTES:

.X ±0.25

.XX ±0.13 .XXX ±0.05

MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, GOLD FLASH PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/201	9	
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628W11W1224-3N2		ISSUE	
YOUR	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628W11V	V1224-3N2	1	



COMPLIANT

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



27W2 Male/Female




21W1 Male/Female

	7.84			
		11W1	Male/Female	
8W8 Fem	ale		33.30	
47.06 - 23.83 48 - 14.42 - 14.42 - 0 - 0 - 0 - 0 - 0 - 0 - 0 - 0	53.50 31.75 22.83 22.87 →	→ → → → → → → → → → → → → → → → → → →		
		17W2	2 Male/Female	
CURRENT RATING / ØA 10A / 2.2			47.05	
20A / 3.3 30A / 3.7 40A / 4.2		HAS T		
	COMBINATION D-SUB			
SERIES FULLY CONFORMS TO UROPEAN UNION DIRECTIVES 5/EU FOR RoHS COMPLIANCY.	YOUR CONNECTION	EDAC INC TORONTO, ONTARIO CANADA TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	


	SW REFERENCE NO.: 628 C	628 COMBO ASSEMBLY		
	DRAWN: C.B	DATE: JAN. 01/2019		
	CHECKED:	DATE:		
NS D	SCALE: N.T.S	SHEET 3 OF 4		
TUS	DRAWING NUMBER: 628W11V	V1224-3N2 ISSUE		
	PART NUMBER: 628W11V	V1224-3N2 1		


5W5 Male

5W5 Female



8W8 Male







THIS SE THE EUF 2011/65/EU FOR RoHS COMPLIANCY.

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male










36W4 Female



13W3 Male











13W6 Male




43W2 Male





17W5 Female



43W2 Female

47W1 Female




17W5 Male

COMPLIANT










22,15 30.60 20.78 2.77

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 628W11W1224-3N2		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628W11	V1224-3N2	1





.X ±0.25 .XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female