

### **Mounting Option**

07-M3-0.5 Metric Threaded Inserts

#### **Contact Detail**

541-Wire Wrap .025 Sq.(0.64 Sq.) - Tail LG=.750(19.05) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing





## **See Accompanying Page for:**


- Bend Detail
- Mounting Options
- Features and Specifications

THIS IS A C.A.D. GENERATED DRAWING



ISSUE NUMBER

ORIGINAL



ACAD REFERENCE NO. 333 ENG MASTER

J.LEE

333 Assembly

NTS

DATE: OCT. 14/09

SHEET 1 OF 4

| Part Number: 333-006-541-607 |                   |   |         |  |  |
|------------------------------|-------------------|---|---------|--|--|
|                              |                   |   |         |  |  |
|                              | CANADA            | SHALL NOT BE REPRODUCED OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS | DRAWING |  |  |
| JUR CONNECTION TO            | QUALITY & SERVICE | WITHOUT WRITTEN PERMISSION.   |         |  |  |

333 Series Card Edge Connector

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.

1



| 333 Series Cara Eage Connector       |  | ACAD REFERENCE NO. 333 ENG MASTER |                  |        |  |
|--------------------------------------|--|-----------------------------------|------------------|--------|--|
|                                      |  | DRAWN: J.LEE                      | DATE: OCT. 14/09 |        |  |
|                                      |  | CHECKED:                          | DATE:            |        |  |
| EDAC INC                             |  |                                   | SHEET :          | 2 OF 4 |  |
|                                      | TORONTO, ONTARIO  ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE | DRAWING NUMBER                    |                  | ISSUE  |  |
| YOUR CONNECTION TO QUALITY & SERVICE | MANUFACTURE OR SALE OF APPARATUS   | 333 Assembly                      |                  | 1      |  |

THIS IS A C.A.D. GENERATED DRAWING
DO NOT MAKE MANUAL REVISIONS TO MASTER



1220F NOWRE

DRIGINAL

1



| 333 Series Card Edge Connector<br>Mounting Options |                                      | ACAD REFERENCE NO. 333 ENG MASTER  |         |             |           |        |
|--|--------------------------------------|--|---------|-------------|-----------|--------|
|  |                                      | DRAWN:   | J.LEE   | DATE: O     | CT. 14/09 |        |
|  |                                      | CHECKED  | ):      | DATE:       |           |        |
|  | COOO EDAC INC                        |  |         | NTS         | SHEET ;   | 3 OF 4 |
|  | TORONTO, ONTARIO                     | ARE THE PROPERTY OF EDAC INC.,AND<br>SHALL NOT BE REPRODUCED,OR COPIED<br>OR USED AS THE BASIS FOR THE | DRAWING | NUMBER      |           | ISSUE  |
|  | YOUR CONNECTION TO QUALITY & SERVICE | MANUFACTURE OR SALE OF APPARATUS   | 3       | 33 Assembly |           | 1      |

ISSUE NUMBER

ORIGINAL



## **Features**

- .156 (3.96) Contact Spacing x .200 (5.08) Row Spacing
- Accepts .062 (1.57) Nominal Thickness P.C. Board
- High Profile Insulator Body .600 (15.24)
- Contact Termination Options include P.C. Tail, Wire Hole, Wire Wrap, 90 Degree, & Extender Board Bends
- Single or Dual Row Configurations
- Variety of Mounting Options, Flush or Offset Lugs
- Accepts Between Contact and In-Contact Polarizing Keys

# **Specifications**

- Insulator Material: Thermoplastic Polyester, UL 94V-0, Colour: Green
- Contact Material: Copper, Nickel, Tin Alloy CA-725
- Contact Plating: Gold on the Mating Area, Tin on the Contact Tails, Nickel Underplate
- Current Rating: 3 Amperes Continuous
- Contact Resistance: 10 Milliohms Maximum
- Dielectric Withstanding Voltage: 1800 V AC rms at Sea Level Between Adjacent Contacts
- Insulation Resistance: 5000 Megohms Minimum
- Operating Temperature: -65 to +105 Degrees C
- Insertion Force: 16 oz (4.45 N) Maximum per Contact Pair when Tested with a .070 (1.78) Thick Gauge
- Withdrawal Force: 1 oz (0.28 N) Minimum per Contact Pair when Tested with a .054 (1.37) Thick Gauge

| 333 Series Card Edge Connector                           | ACAD REFERENCE NO. 333 ENG MASTER      |
|--|--|
| Features and Specifications                              | DRAWN: J.LEE DATE: OCT. 14/09          |
| redictes and specifications                              | CHECKED: DATE:                         |
| EDAC INC THESE DRAWINGS AND ARE THE PROPERTY OF          |  |
| IORONIO, ONIARIO SHALL NOT BE REPRO                      | DDUCED, OR COPIED DRAWING NUMBER ISSUE |
| YOUR CONNECTION TO QUALITY & SERVICE WITHOUT WRITTEN PER | LE OF APPARATUS 333 Accombly 1         |