<u>Mour</u> 1212	nting Option 28 (3.25) Dia. Side Mounting Holes	Contact Detail 500-Wire Hole .087x.013(2.21x0.33) - Tail LG.=.282(7.16) .156 [3.96] Contact Spacing x .140 [3.56] Row Spacing		THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER		ISSUE NUM	
	Card Slot Accepts .054 (1.37) to .070 (1.78) Thick P.C. Board						
\(\frac{\frac{1}{4}}{4} \)	0.156[3.96]						
	0.136[3.76]	6.872[174.55]					
	-	7.018[178.26] ————————————————————————————————————		-			
						_	
					[7.49]	Card Slot	
					0.295	Ca	
	A						
_					1 -		√
							SECTION
1.68]						0.090 [2.2 Point of C	-/]
0.460[11.68]	7.304[185.52] 7.614[193.40]						
0.4	305 / 315 / 355 Card Edge Connector				ACAD REFERENCE NO.	305 EN	IG MASTER
					DRAWN: J.LEE DATE: SEPT. 21/09		PT. 21/09
Part Number: 355-086-500-212				CHECKED:	DATE:		
	See Accompanying Page for:	EDAC IN TORONTO, ON		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: NTS	SHEET	
Mounting Options		YOUR CONNECTION TO QUALITY & SER	١	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER 305 Assembly	,	ISSUE 1

