**Contact Detail** 


Wire Hole .087x.013(2.21x0.33) - Tail LG=.282(7.16) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER

SECTION A-A

ORIGINAL



**See Accompanying Pages for:** 

- Contact Bend Details
- Mounting Options



TORONTO, ONTARIO

CANADA

YOUR CONNECTION TO QUALITY & SERVICE

DRAWN: J.LEE DATE: AUG. 11/09 CHECKED: DATE: OF 3 SCALE: NTS SHEET THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED, OR COPIED DRAWING NUMBER **ISSUE** OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS 307 Assembly WITHOUT WRITTEN PERMISSION.

.175 [4.45] Point of Contact (FROM BTM OF SLOT)

ACAD REFERENCE NO.

307 ENG MASTER

Card Slot Accepts .054 [1.37] to .070 [1.78] Thick P.C. Board



