Mounting Option Contact Detail 541-Wire Wrap .025 Sq.(0.64 Sq.) - Tail LG=.750(19.05) 07-M3-0.5 Metric Threaded Inserts .150 [3.81] Contact Spacing x .200 [5.08] Row Spacing .375 [9.53] Card Slot Accepts .054 [1.37] to .070 (1.78) Thick P.C. Board .150[3.81] 4.940 [125.48] 5.100 [129.54] .330[8.38] -5.410[137.41]-Card Slot



See Accompanying Page for:

Bend Detail

.600[15.24]-350 [8.89]

Mounting Options

YOUR CONNECTION TO QUALITY & SERVICE

SHEET 1 OF 3 379 Assembly

.160[4.06] Point of Contact

SECTION A-A









379 Series Card Edge Connector Contact Bend Detail

YOUR CONNECTION TO QUALITY & SERVICE

CANADA

	ACAD REFERENCE N	. 379 ENG MASTER
	DRAWN: J.LEE	DATE: OCT. 14/09
	CHECKED:	DATE:
ED	SCALE: NTS	SHEET 2 OF 3
	DRAWING NUMBER	ISSUE

379 Assembly

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER



ISSUE NUMBE

ORIGINAL

1



379 Series Card Edge Connector	ACAD REFERENCE NO. 379 ENG MASTER
Mounting Options	DRAWN: J.LEE DATE: OCT. 14/09
Mourning Ophons	CHECKED: DATE:
EDAC INC THESE DRAWINGS AND SPI	
IORONIO, ONIARIO SHALL NOT BE REPRODUC	CED,OR COPIED DRAWING NUMBER ISSUE
YOUR CONNECTION TO QUALITY & SERVICE WITHOUT WRITTEN PERMISS	DE APPARATUS 270 Accombly 1