

NOTES:

MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 30µ GOLD PLATING

OPERATING TEMPERATURE:

.XX ±0.13 .XXX ±0.05

-55°C ~ 125°C

POWER CONTACT CURRENT RATING: 20A POWER CONTACT SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. **INSULATOR RESISTANCE:** 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE:


			SW REFERENCE NO.: 627 COMBO ASSEMBLY				
	COMBINATION	DRAWN: C.B		DATE: JAN. 01/2019			
		CHECKED:		DATE:			
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	s	HEET 1 (DF 4	4
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 627W5W		/1-624-4NA		SSUE
YOUR CONNECTION TO	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 62	27W5W1-6	24-4NA		1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



1000V AC rms



ISSUE NUMBER THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female






(1)

21W4 Male/Female

PART NUMBER:




627W5W1-624-4NA

47.05 23.53 - 14.49 - 14.48 - 14.48		33.30 33.30 4.665 1.665 4.675 4.675 4.675 4.675 4.675 4.675 4.675 4.675 4.675 4.675 4.675 4.675 4.675 4.675 4.675 4.785 4.785 4.7755 4.7755 4.7755 4.7755 4.7755 4.7755 4.7755 4.			. Seve
		11W1 Male/Female	27W2 Male/Fem	ale	
47.05 	8W8 Female 31.75 22.83 22.97 4 4 4 4 4 4 4 4 4 4	33.30 18.65 9.70		63.50 31.75 52 15.24 \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$\$ \$	- Serae
		17W2 Male/Female	21W1 Male/Fem	ale	
CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	G/ ØA	47.05 23.63 13.85 		47.05 52 524 524 524 524 524 524 52 52 52 52 52 52 52 52 52 52	æ
	COMBINA	COMBINATION D-SUB		DATE: JAN. 01/2019	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO		ARE THE FROFER IT OF EDAG INC., AND	SCALE: N.T.S	SHEET 3 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	CANADA	OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 627W5	W1-624-4NA	ISSUE
	YOUR CONNECTION TO QUALITY & SER	MANUEACTURE OR SALE OF APPARATUS	PART NUMBER: 627W5	W1-624-4NA	1

WITHOUT WRITTEN PERMISSION.

5W5 Male

5W5 Female



8W8 Male

T٢ TH 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

TOLERANCE UNLESS OTHERWISE SPECIFIED DAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.







25W3 Male



47.00


23.53







36W4 Female





13W3 Male


3

3










13W6 Male



43W2 Male




13W6 Female

17W5 Female

.X±0.25.XX±0.13.XXX±0.05


9W4 Female

13W3 Female






47W1 Female



17W5 Male


COMPLIANT






2.77







				SW REFERENCE NO.: 627 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
		CHECKED:	DATE:			
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4	
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 627W5W1-624-4NA		ISSUE	
			PART NUMBER: 627W5W	1-624-4NA	1	