



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.





ISSUE NUMBER

(1)









MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


NOTES:

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

|                                      | SW REFERENCE NO.: 628 COMBO ASSEMBLY  |                                 |            |       |
|--------------------------------------|---|---------------------------------|------------|-------|
| COMBINATION                          | DRAWN: C.B  | DATE: JAN. 01/20                | 19         |       |
|                                      |   | CHECKED:                        | DATE:      |       |
| EDAC INC                             | THESE DRAWINGS AND SPECIFICATIONS<br>ARE THE PROPERTY OF EDAC INC. AND  | SCALE: (IN C.A.D. 1:1)          | SHEET 1 OF | 4     |
| TORONTO, ONTARIO<br>CANADA           | SHALL NOT BE REPRODUCED, OR COPIED<br>OR USED AS THE BASIS FOR THE<br>MANUFACTURE OR SALE OF APPARATUS<br>WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 628-11W1224-5TC |            | ISSUE |
| YOUR CONNECTION TO QUALITY & SERVICE |   | PART NUMBER: 628-11W            | 1224-5TC   | 1     |



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





3W3 / 3WK3

5W1 Male/Female


7W2 Male/Female





(1)

21W4 Male/Female




628-11W1224-5TC

|  |  | 33.30<br>33.30<br>4 4 1560<br>1.50<br>4 50<br>50<br>50<br>50<br>50<br>50<br>50<br>50<br>50<br>50   |                                 | 63.50<br>31.75<br>08 9.70<br>09 9.70<br>09 9.70<br>09 9.70<br>00 9.70 | and a  |
|--|--|--|---------------------------------|--|--|
|  | 11W  | /1 Male/Female   | 27W2 Male/Femal                 | e  |  |
| 47.05<br>- 14.45<br>- 14. | Temale<br>31.75<br>72.83<br>72.83<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.97<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72.87<br>72 | 33.30<br>16.65<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70<br>9.70 |                                 | 63.50<br>31.75<br>15.24<br>++++++++++++++++++++++++++++++++++++  | and the second s |
|  | 170  | V2 Male/Female   | 21W1 Male/Femal                 | e  |  |
| CURRENT RATING / $\emptyset$ A<br>10A / 2.2<br>20A / 3.3<br>30A / 3.7<br>40A / 4.2<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05<br>47.05   |  |  |                                 |  | æ  |
| SW REFERENCE NO.: 628 COMBO ASSEMB   COMBINATION D-SUB DRAWN: C.B   DATE: JAN. (C.B)   |  | I  |                                 |  |  |
|  |  | DRAWN: C.B   | DATE: JAN. 01/20                | 019  |  |
|  |  |  | CHECKED: DATE:                  |  |  |
| THIS SERIES FULLY CONFORMS TO  |  | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND   | SCALE: N.T.S                    | SHEET 3 OF   | 4  |
| THE EUROPEAN UNION DIRECTIVES<br>2011/65/EU FOR RoHS COMPLIANCY.   | TORONTO, ONTARIO<br>CANADA   | SHALL NOT BE REPRODUCED, OR COPIED<br>OR USED AS THE BASIS FOR THE   | DRAWING NUMBER: 628-11W1224-5TC |  | ISSUE  |
|  | YOUR CONNECTION TO QUALITY & SERVICE   | MANUFACTURE OR SALE OF APPARATUS   | PART NUMBER: 628-11W            | 1224-5TC   | 1  |

WITHOUT WRITTEN PERMISSION.

5W5 Male

5W5 Female



8W8 Male

т 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14,51 9.70 7.79 김 영



36W4 Female



13W3 Male



36W4 Male







13W6 Male



43W2 Male





.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male


COMPLIANT



47W1 Male







|  | COMBINATION D-SUB                      |   | SW REFERENCE NO.: 628 COMBO ASSEMBLY |                  |       |
|--|--|---|--------------------------------------|------------------|-------|
|  |  |   | DRAWN: C.B                           | DATE: JAN. 01/20 | 19    |
|  |  |   | CHECKED:                             | DATE:            |       |
| THIS SERIES FULLY CONFORMS TO                                    | EDAC INC<br>TORONTO, ONTARIO<br>CANADA | THESE DRAWINGS AND SPECIFICATIONS<br>ARE THE PROPERTY OF EDAC INC.,AND<br>SHALL NOT BE REPRODUCED, OR COPIED<br>OR USED AS THE BASIS FOR THE<br>MANUFACTURE OR SALE OF APPARATUS<br>WITHOUT WRITTEN PERMISSION. | SCALE: N.T.S                         | SHEET 4 OF       | 4     |
| THE EUROPEAN UNION DIRECTIVES<br>2011/65/EU FOR R₀HS COMPLIANCY. |  |   | DRAWING NUMBER: 628-11W1224-5TC      |                  | ISSUE |
|  | YOUR CONNECTION TO QUALITY & SERVICE   |   | PART NUMBER: 628-11W                 | 1224-5TC         | 1     |

17W5 Female