



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.





ISSUE NUMBER ORIGINAL

(1)









MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/20	19
			CHECKED:	DATE:	
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-11W1224-7T5		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-11W	1224-7T5	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



NOTES:



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

COMPLIANT

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female

		33.30 4.880, 15.60 1.30 4.80, 15.60 1.30 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.90 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.		63.50 31.75 32 9.70 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	, gene	
		11W1 Male/Female	27W2 Male/Female	e		
47.06 23.63 14.48 0 0 0 0 0 0 0 0 0 0 0 0 0	8W8 Female			83.50 31.75 15.24 ++++++++++++++++++++++++++++++++++++	, <u></u>	
		17W2 Male/Female	21W1 Male/Female	e		
CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	<i>G</i> / ØΑ	47.00 23.53 3.54 47.00 5.54 47.00 5.54 47.00 5.54 5.55 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5.56 5		47.05 23.05 23.05 23.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25.05 25	1 ²⁸	
		COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBIN			DATE: JAN. 01/20 DATE:	019	
		· · · · · · · · · · · · · · · · · · ·				
THIS SERIES FULLY CONFORMS TO		ARE THE PROPERTY OF EDAG ING., AND	SCALE: N.T.S	SHEET 3 OF	: 4	
			DRAWING NUMBER: 628-11W	1224-7T5	ISSUE	

2011/65/EU FOR RoHS COMPLIANCY.



CANADA

OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

PART NUMBER:

	DATE:			
	SHEET	3	OF	4
628-11W	1224-7T5			ISSUE
628-11W	1224-7T5			1

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14.51 9.70 7.79 김 영



36W4 Female



13W3 Male



36W4 Male







13W6 Male



43W2 Male






17W5 Female

.XX

±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male

COMPLIANT




47W1 Male





2.77



	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY		
			DRAWN: C.B	DATE: JAN. 01/2019	
			CHECKED: DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 628-11W	1224-7T5	ISSUE
			PART NUMBER: 628-11W	1224-7T5	1