



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.





ISSUE NUMBER

(1)









MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


NOTES:

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

			SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B	DATE: JAN. 01/2019		
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
		SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-11W1624-3T4		ISSUE	
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-11W	1624-3T4	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

23.53

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



nale



nale

			33.30 5.85 1.28 1.28 5.85 1.28 5.85 5.95	¥77	22.70
		11W1	Male/Female	27W2 Ma	ale/Fema
47.05 23.03 4	8W8 Female 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 22.87 31.75 31.75 22.87 31.75		33.30 18.65 9.70	87 87	
		17W2	2 Male/Female	21W1 Ma	ale/Fema
CURRENT RATINO 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	G / ΦA	ME	47.05 23.05 13.85 13	87	
	COMBI	NATION	D-SUB	SW REFERENCE NO.: DRAWN: C.B	628 (
FRIES FULLY CONFORMS TO	FDAC		THESE DRAWINGS AND SPECIFICATIONS	CHECKED: SCALE: N.T.S	
FRIESFULLY CONFORMSTO	EDAC EDAC	INC		1 0 0. LL. 11.1.0	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

	SW REFERENCE NO.: 628 COMBO ASSEMBLY			
COMBINATION D-SUB		COMBINATION D-SUB DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: DATE: DATE: EDAC INC TORONTO, ONTARIO THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND SHALL NOT BE REPRODUCED, OR COPIED SCALE: N.T.S SHEET 3 OF 4 DRAWING NUMBER: 628-11W1624-3T4 ISSUE		
		CHECKED:	DATE:	
EDAC INC		SCALE: N.T.S	SHEET 3 OF	4
TORONTO, ONTARIO CANADA	OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-11	V1624-3T4	ISSUE
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-11	V1624-3T4	1

 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.


 .X
 ±0.25





9W4 Male

25W3 Male




47.05 23.53 9.79 14.51 5.52 7.79 6.52 7.79 6.52 7.79 6.52 7.79 6.52 7.79 6.52 7.79 6.52 7.79 6.52 7.79 7.7




25W3 Female


36W4 Female





13W3 Male



36W4 Male








13W6 Male



43W2 Male






.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female




17W5 Male

COMPLIANT





47W1 Male





17W5 Female





			SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	019	
			CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4	
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.			DRAWING NUMBER: 628-11W1624-3T4		ISSUE	
			PART NUMBER: 628-11W	1624-3T4	1	