


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER


(1)

ORIGINAL





NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	SW REFERENCE NO.: 628 COMBO ASSEMBLY			
COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019		
		CHECKED:	DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4
TORONTO, ONTARIO CANADA	IO SHALL NOT BE REPRODUCED OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	DRAWING NUMBER: 628-13W3224-5N1		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-13W	3224-5N1	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)



5W5 Male

5W5 Female

23.53

3W3 / 3WK3

8W8 Male

63.50

5W1 Male/Female





21W4 Male/Female



Male/Female



Male/Female

DRAWING NUMBER:

PART NUMBER:

628 COMBO ASSEMBLY

DATE: SHEET 3

628-13W3224-5N1

628-13W3224-5N1

DATE: JAN. 01/2019

OF 4

ISSUE

1

			500 1500 1-30 		142 142
		11W1 N	/ale/Female		27W2 Mal
47.05 23.63 3 - 14.48 3 - 14.4	8W8 Female 53.50 53.50 53.50 72.43 72.44 72.44 72.44 72.45		33.30 16.65 9.70 8.31 9.70 8.31 9.70 8.31 9.70	į	
++-	Haver Haver	17W2 N	Male/Female		21W1 Mal
CURRENT RATING 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	G / ØA	#7 #7	47.00 23.65 - 23.65 		#2 #2
				SW REFER	ENCE NO.:
	COMBIN	ATION [D-SUB	DRAWN:	C.B
				CHECKED:	
ERIES FULLY CONFORMS TO			THESE DRAWINGS AND SPECIFICATIONS	SCALE: 1	N.T.S



THIS SERIES THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

	D-SUB	
EDAC	EDAC INC TORONTO, ONTARIO CANADA O QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

		33.30
	최역	1.39
	44	
æ	$\downarrow + \phi$	═┯ ᡒ ᢩᡟᢌ᠊ᡏ᠆

7W2 Male/Female

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14,51 9,70 1 82 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 원 2.77






13W6 Male



43W2 Male







43W2 Female

47W1 Female



17W5 Male


COMPLIANT






2.77







				SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:			
THIS SERIES FULLY CONFORMS TO	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4	
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.			DRAWING NUMBER: 628-13W	3224-5N1	ISSUE	
			PART NUMBER: 628-13W	3224-5N1	1	





.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female