


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER


(1)

ORIGINAL





NOTES:




MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY				
			DRAWN: C.B	DATE: JAN. 01/2019			
			CHECKED:	DATE:			
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4		
	TORONTO, ONTARIO	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-13W3224-5N3		ISSUE		
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-13W	3224-5N3	1		





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)



5W5 Male

5W5 Female

23.53

3W3 / 3WK3

8W8 Male

63.50

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



Male/Female



Male/Female

16.6

ISSUE

1

		and a second	5.55 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30 1.30		
		11W1	Male/Female		27W2 M
47.05 - 23.53 - 14.48 - 14.48 - 90 - 90	3W8 Female 31.75 72.83 72.83 72.83 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87 72.87	and a second			87 291
<u>1- 1</u>	in the second	17W2	2 Male/Female		21W1 M
CURRENT RATING / 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	ΦA	47 × 1	47.05 23.63 3.85 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.05 47.		47 24
				SW REFE	RENCE NO.
	CON	BINATION	D-SUB	DRAWN:	C.B
				CHECKED	:
ERIES FULLY CONFORMS TO		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE:	N.T.S



THIS SERIES THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

	SW REFERENCE NO.: 628 COMBO ASSEMBLY					
COMBINATION D-SUB		DRAWN: C.B		DATE: J	JAN. 01/20)19
		CHECKED:		DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND	SCALE: N.T.S		SHEET	3 OF	4
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER:	628-13W3	3224-5N3		ISS
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER:	628-13W	3224-5N3		.

 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male



25W3 Male



47.00 23.53 23.53 47.00 9.70 14.51 9.32 14.51 9.32 14.51 9.70 14.51 9.70 14.51 9.70 14.51 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.



36W4 Female



13W3 Male





51.00 30.50 13.72 16.62 5.74 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 15.24 1





13W6 Male



43W2 Male





.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female



17W5 Male


COMPLIANT






2.77







		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
		CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.			DRAWING NUMBER: 628-13W	3224-5N3	ISSUE
			PART NUMBER: 628-13W	3224-5N3	1