


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER


ORIGINAL

(1)






## NOTES:




MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE:  $10m\Omega$  MAX. INSULATOR RESISTANCE:  $5000M\Omega$  min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms







THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Female

3W3 / 3WK3

5W1 Male/Female


7W2 Male/Female





(1)

21W4 Male/Female




628-13W3624-3NB

47.05 23.53 14.49 14.49 0.5		33.30 33.30 		63.50 31.75 08 - 9.70 - 9.50 ++++++++++++++++++++++++++++++++++++	
	11V	V1 Male/Female	27W2 Male/Femal	e	
47.05 14.45 14.45 14.45 90 90 90 90 90 90 90 90 90 90	B Female 31.75 22.43 4 4 4 4 4 4 4 4	33.30 16.65 9.70 8.31 9.70		83.50 31.75 2 15.24 ++++++++++++++++++++++++++++++++++++	
		V2 Male/Female	21W1 Male/Femal	e	
CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2	A 	47.05 47		47.05 23.63 4 4 4 4 4 4 4 4 4 4 4 4 4	æ
		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	2019	
				DATE:	
THIS SERIES FULLY CONFORMS TO		OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	SCALE: N.T.S	SHEET 3 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 628-13W	3624-3NB	ISSUE
2011/03/201 OR RUES COWFLIANCT.	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-13W3624-3NB 1		

WITHOUT WRITTEN PERMISSION.

5W5 Male



8W8 Male

2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25









25W3 Male












36W4 Female




13W3 Male



36W4 Male








13W6 Male




43W2 Male





17W5 Female




43W2 Female

47W1 Female



17W5 Male

COMPLIANT






2.77








2.77

	· · · · · · · · · · · · · · · · · · ·				
			SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	)19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 628-13W3624-3NB		ISSUE
			PART NUMBER: 628-13W3624-3NB		1



.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female

