



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL (1)





NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19		
		CHECKED:	DATE:		
EDAC INC	OR USED AS THE BASIS FOR THE DRAWING NUMBER: 020-430 MANUFACTURE OR SALE OF APPARATUS	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
YOUR CONNECTION TO QUALITY & SERVICE		2624-4T6	ISSUE		
		PART NUMBER: 628-43W	2624-4T6	1	






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

3W3 / 3WK3

8W8 Male

3.30

63.50

31.75

22.97

5W1 Male/Female


7W2 Male/Female





(1)

21W4 Male/Female




27W2 Male/Female



21W1 Male/Female

, ф ф ф 	Ψ		the second se		
			11W	1 Male/Female	
	8W8 Fem	nale		33.30	
47.06 23.03 8 14.48 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	÷		200 2000 200		
CURRENT RATING	G/ØA		17002	2 Male/Female	
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2			20 1 1	47.00 23.03 	
		sw			
		COMBINATION D-SUB		I D-SUB	DRA
					CHE
ERIES FULLY CONFORMS TO			EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCA
UROPEAN UNION DIRECTIVES			TORONTO, ONTARIO	SHALL NOT BE REPRODUCED, OR COPIED	





	SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	DRAWN: C.B	DATE: JAN. 01/201	9
	CHECKED:	DATE:	
	SCALE: N.T.S	SHEET 3 OF	4
)	DRAWING NUMBER: 628-43W2	628-43W2624-4T6	
	PART NUMBER: 628-43W2	628-43W2624-4T6	

5W5 Female

47.0/

23.53

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male










36W4 Female




13W3 Male












13W6 Male




43W2 Male





17W5 Female



43W2 Female

47W1 Female



17W5 Male





2.77




.XX

±0.13 .XXX ±0.05

9W4 Female

13W3 Female





			SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
D	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND	SCALE: N.T.S	SHEET 4 OF	4
S Y.	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-43W2624-4T6		ISSUE
1.			PART NUMBER: 628-43W	2624-4T6	1



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY