



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

(1)







NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: $10m\Omega$ MAX. INSULATOR RESISTANCE: $5000M\Omega$ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

			SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/2019			
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-47W	1624-5T1	ISSUE	
		MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-47W	1624-5T1	1	





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05

16.65





5W5 Male

5W5 Female

3W3 / 3WK3

8W8 Male


53.30

63.50

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



628-47W1624-5T1

	51.78 22.97 ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓					848
		11W	/1 Male/Female	27W2 Male/Femal	e	
47.05 14.49 14.49 14.49 14.49 14.49 14.49 14.49 0 0 0 0 0 0 0 0 0 0 0 0 0		53.50 → 22.97 → ↓ 22.97 ↓ 23.97 ↓	$\sqrt{2}$ Male/Female	22.70 10.55 10.55 10.55 21.W1 Male/Femal 31.91 10.55	-	and a second
30A / 3.7 40A / 4.2						31.75 18.24 18.24 18.24 18.24 18.24 18.25 23.65 24.5T1 15SUE
		COMBINATIO	N D-SOR	DRAWN: C.B CHECKED:)19
			THESE DRAWINGS AND SPECIFICATIONS			4
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES		EDAC INC TORONTO, ONTARIO	ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED	SCALE: N.T.S		
2011/65/EU FOR RoHS COMPLIANCY.		CANADA	OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS		1624-5T1	
	YOUR CO	NNECTION TO QUALITY & SERVICE	WITHOUT WRITTEN PERMISSION	PART NUMBER: 628-47W	1624-5T1	1



YOUR CONNECTION T	EDAC INC TORONTO, ONTARIO CANADA O QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICA ARE THE PROPERTY OF EDAC INC SHALL NOT BE REPRODUCED, OR O OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPA WITHOUT WRITTEN PERMISSION.

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male









36W4 Female





13W3 Male



36W4 Male








13W6 Male



43W2 Male








43W2 Female

47W1 Female



17W5 Male


COMPLIANT






2.77







	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY		
			DRAWN: C.B	DATE: JAN. 01/2019	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO	EDAC INC	TARIO SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	SCALE: N.T.S	SHEET 4 OF	4
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	TORONTO, ONTARIO CANADA		DRAWING NUMBER: 628-47W1624-5T1		ISSUE
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628-47W	1624-5T1	1





.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female