



THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER ORIGINAL

(1)





NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
			DRAWN: C.B DATE: JAN. 0		/2019	
			CHECKED:	DATE:		
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628-9W4-624-4N3		ISSUE	
			PART NUMBER: 628-9W4	-624-4N3	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



(1)

2W2 / 2WK2

5W5 Male

3W3 / 3WK3

8W8 Male

63.50

31.70

5W1 Male/Female

7W2 Male/Female





21W4 Male/Female



/Female



/Female



628 COMBO ASSEMBLY

DATE: SHEET 3

628-9W4-624-4N3

DATE: JAN. 01/2019

OF 4

ISSUE

1


		11W1 Male/Female	27W2 Male/Fema	ale
23.63 448 448 448 448 448 448 448 44	emale 53.50 1.75 22.83 22.97 9 9 9 9 9 9 9 9	33.30 10.00 10		
CURRENT RATING / ØA	19-94	17W2 Male/Female	21W1 Male/Fema	ale
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		47.05 47.05 13.05 13.05 15		47.05 62 23.5 124 4 4 4 4 4 4 4 4 4 4 4 4 4
	COMBINATION D-SUB		SW REFERENCE NO.: 628	COMBO ASSI
			DRAWN: C.B	DATE: JA
		CHECKED:	DATE:	
ULLY CONFORMS TO		THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: N.T.S	SHEET
AN UNION DIRECTIVES		TARIO SHALL NOT BE REPRODUCED, OR COPIED	DRAWING NUMBER: 628-9W4	4-624-4N3

5W5 Female

COMPLIANT

THIS SERIES FUL THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

	COMBINATION	D-SUB	DRAWN:	C.B
			CHECKED):
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND	SCALE:	N.T.S
	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBE	
YOUR CONNECTION TO QUALITY & SERVICE		MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NU	MBER:





47.07

47.05

23.53

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male




25W3 Male




47.02 23.53 14,51 9.70 7.79 김 영




36W4 Female





13W3 Male



36W4 Male








13W6 Male



43W2 Male




13W6 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female





17W5 Male

COMPLIANT



47W1 Male





22,15 30.60 20.78 2.77

	COMBINATION D-SUB		SW REFERENCE NO.: 628 0	COMBO ASSEMBLY		
			DRAWN: C.B	DATE: JAN. 01/2019		
			CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4	
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	YOUR CONNECTION TO QUALITY & SERVICE		DRAWING NUMBER: 628-9W4-624-4N3		ISSUE	
			PART NUMBER: 628-9W4	-624-4N3	1	

