


THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER


(1)

ORIGINAL





NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING


OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mΩ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

| | | SW REFERENCE NO.: 628 COMBO ASSEMBLY | | | |
|--|--------------------------------------|--|-------------------------|--------------------|-------|
| | | | DRAWN: C.B | DATE: JAN. 01/2019 | |
| | | | CHECKED: | DATE: | |
| | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC. AND | SCALE: (IN C.A.D. 1:1) | SHEET 1 OF | 4 |
| | YOUR CONNECTION TO QUALITY & SERVICE | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE | DRAWING NUMBER: 628-9W4 | -624-7NC | ISSUE |
| | | MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | PART NUMBER: 628-9W4 | -624-7NC | 1 |



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.





THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

23.53

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female






(1)

21W4 Male/Female



emale



emale

| | | | 33.30 4.60 1.50 1.50 90 90 90 90 90 90 90 90 90 9 | | ₹ ₹ 1 |
|--|--|------|--|-------------------|----------------------|
| | | 11W1 | Male/Female | | 27W2 Male/Fer |
| 47.05 47.05 23.03 a 14.48 a b a a a a a a a a a a a a a | ale 53.50 | | 33.30 16.65 9.70 | | |
| | | 17W2 | Male/Female | | 21W1 Male/Fer |
| CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2 | | 284 | | | |
| | COMBINA | TION | D-SUB | DRAWN: | RENCE NO.: 62 C.B |
| ERIES FULLY CONFORMS TO | | | THESE DRAWINGS AND SPECIFICATIONS | CHECKED SCALE: | |



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

| | SW REFERENCE NO.: 628 COMBO ASSEMBLY | | | |
|--------------------------------------|--|--|------------------|-----|
| COMBINATION D-SUB | | DRAWN: C.B | DATE: JAN. 01/20 |)19 |
| | | CHECKED: | DATE: | |
| EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND | SCALE: N.T.S | SHEET 3 OF | 4 |
| TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE | F EDAC INC.,AND SCALL: N.1.3 STILL: STIL: STILL: STILL: ST | | |
| YOUR CONNECTION TO QUALITY & SERVICE | MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | PART NUMBER: 628-9W4 | -624-7NC | 1 |

 TOLERANCE
 THIS IS A C.A.D. GENERATED DRAWING

 UNLESS OTHERWISE
 DO NOT MAKE MANUAL REVISIONS TO MASTER.

 .X
 ±0.25





9W4 Male



25W3 Male





36W4 Female



13W3 Male



36W4 Male







13W6 Male



43W2 Male






17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female


47W1 Female





17W5 Male











2.77

| | COMBINATION D-SUB | | SW REFERENCE NO.: 628 COMBO ASSEMBLY | | | |
|--------------------------|--------------------------------------|--|--------------------------------------|------------|-------------------|--|
| | | | DRAWN: C.B DATE | | ATE: JAN. 01/2019 | |
| | | | | DATE: | | |
| FORMS TO | EDAC INC | THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND | SCALE: N.T.S | SHEET 4 OF | 4 | |
| DIRECTIVES DMPLIANCY. | TORONTO, ONTARIO CANADA | SHALL NOT BE REPRODUCED OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION. | DRAWING NUMBER: 628-9W | 4-624-7NC | ISSUE | |
| | YOUR CONNECTION TO QUALITY & SERVICE | | PART NUMBER: 628-9W | 4-624-7NC | 1 | |

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.