

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.





**ISSUE NUMBER** 

(1)




ORIGINAL





## NOTES:



MATERIAL: HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, Sn or Ni PLATED CONTACT: COPPER ALLOY SEE ORDERING GUIDE FOR PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms


COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
		DRAWN: C.B DATE: JAN. 07		/2019	
		CHECKED:	DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4	
	SHALL NOT BE REPRODUCED OR COPIED	DRAWING NUMBER: 628-9W4-624-7ND		ISSUE	
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-9W4	-624-7ND	1	



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.







THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

23.53

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



/Female




/Female

		98 <b>85</b> 00	33.30 	
		11 <b>V</b>	V1 Male/Female	27W2 Male/Fe
47.06 23.03 a 14.48 b 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8W8 Female	and the second s	33.30 10.56 9.70 8.31 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70 9.70	
1.6.26.1	[8.36] [.7.64_]	17V	V2 Male/Female	21W1 Male/Fe
CURRENT RATIN	G/ØA			
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2			47.05 23.63 13.85 13.85 13.85 13.85 13.85 13.85 13.85 13.85 13.85 13.85 13.85 13.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15.85 15	87 87
				SW REFERENCE NO .:
	C	COMBINATION D-SUB		DRAWN: C.B
				CHECKED:
ERIES FULLY CONFORMS TO		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS	SCALE: N.T.S



THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

		SW REFERENCE NO.: 628 (	COMBO ASSEMBLY	19 4 ISSUE 1
COMBINATION	D-SUB	DRAWN: C.B	DATE: JAN. 01/20	)19
		CHECKED: DATE:		
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628-9W4	-624-7ND	ISSUE
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-9W4	-624-7ND	1



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25





9W4 Male



25W3 Male



47.02 23.53 14,51 9.70 7.79 김 영



36W4 Female



13W3 Male





20.70 30.50 13.72 16.62 김 원 2.77





13W6 Male



43W2 Male





17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female



43W2 Female

47W1 Female





17W5 Male


COMPLIANT











			SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 628-9W4-624-7ND		ISSUE
		MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628-9W4	-624-7ND	1