




THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.




**ISSUE NUMBER** 

ORIGINAL

(1)





NOTES:


MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 15µ GOLD PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

			SW REFERENCE NO.: 628 COMBO ASSEMBLY				
			DRAWN: C.B	DATE: JAN. 01/2019			
		CHECKED:	DATE:				
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4		
	YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628W11V	V1322-1NA	ISSUE		
			PART NUMBER: 628W11V	V1322-1NA	1		






THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

23.53

3W3 / 3WK3

5W1 Male/Female





(1)

21W4 Male/Female



W2 Male/Female



W1 Male/Female

DATE: JAN. 01/2019

OF 4

ISSUE

1

		•			
		1 <b>1</b> W1	Male/Female		27W
	8W8 Female				
47.05 23.53 14.48 90 5.58			3330 19.65 19.65 19.70 2.77 19.65 19.7		284
		17W2	2 Male/Female		21W
CURRENT RATIN	IG / ØA				
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		¥7	47.06 23.65 		
				SW REFER	RENCE
	COMBI	NATION	D-SUB	DRAWN:	C.B
			1	CHECKED	r:
ERIES FULLY CONFORMS TO			THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE:	N.T.S



THIS SERIES THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

		SW REFE	RENCE NO .:	628 C	DATE: SHEET 3	SSEM	BLY
EDAC INC   TORONTO, ONTARIO   CANADA	DRAWN:	C.B		DATE:	JAN.	01/2	
			D:		DATE:		
EDAC INC		SCALE:	N.T.S		SHEET	3	OF
	OR USED AS THE BASIS FOR THE	DRAWING	ONUMBER:	628W11W1322-1NA			
YOUR CONNECTION TO QUALITY & SERVICE		PART NU	MBER:	628W11V	V1322-1I	NA	



47.05

31.75

8W8 Male

63.50

16.65 21 21 1.39

THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male









36W4 Female





13W3 Male

3


3











13W6 Male



43W2 Male





.XX ±0.13 .XXX ±0.05


9W4 Female

13W3 Female




43W2 Female

47W1 Female




17W5 Male


COMPLIANT











				SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19			
		CHECKED:	DATE:				
THIS SERIES FULLY CONFORMS TO	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND	SCALE: N.T.S	SHEET 4 OF	4		
THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR R₀HS COMPLIANCY.	TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628W11	V1322-1NA	ISSUE		
	YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628W11	V1322-1NA	1		

