


THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.




ISSUE NUMBER

ORIGINAL

(1)





NOTES:

.X ±0.25

.XX ±0.13 .XXX ±0.05

MATERIAL:

HOUSING: THERMOPLASTIC POLYESTER, UL94V-0 SHELL: STEEL, NICKEL PLATED CONTACT: COPPER ALLOY, 15µ GOLD PLATING

OPERATING TEMPERATURE: -55°C ~ 125°C


SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: 10mQ MAX. INSULATOR RESISTANCE: 5000MΩ min. DIELECTRIC WITHSTANDING VOLTAGE: 1000V AC rms

	COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
COMBINATION			DATE: JAN. 01/20	19		
			DATE:			
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4		
YOUR CONNECTION TO QUALITY & SERVICE	SHALL NOT BE REPRODUCED,OR COPIED DRAWING NUMBER: 628W11W13 OR USED AS THE BASIS FOR THE DRAWING NUMBER: 628W11W13 MANUFACTURE OR SALE OF APPARATUS PART NUMBER: 628W11W13	V1324-4N5	ISSUE			
		PART NUMBER: 628W11V	V1324-4N5	1		



COMPLIANT

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05





5W5 Male

5W5 Female

3W3 / 3WK3

8W8 Male

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



27W2 Male/Female



21W1 Male/Female

			\$ ⁹⁹ - <u>↓↓</u> 2Π	
		11W	1 Male/Female	
	8W8 Female		33.30	
47.06 23.53 14.48 90 90 90 90 90 90 90 90 90 90		****** 	2 Male/Female	
CURRENT RATING	/ ØA	17 99		
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		22	47.00 23.65 1.3.85 0.31 0.70 0.00 0.	
				SW
		COMBINATION D-SUB		
			-	СН
RIES FULLY CONFORMS TO		EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SC
ROPEAN UNION DIRECTIVES /EU FOR R₀HS COMPLIANCY.		TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS	DR


63.50

31.75

22.97

THIS SER THE EUR 2011/65/EU FOR RoHS COMPLIANCY. COMPLIANT

	SW REFERENCE NO.: 628 COMBO ASSEMBLY			
COMBINATION D-SUB		DRAWN: C.B	DATE: JAN. 01/20	19
		CHECKED:	DATE:	
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: N.T.S	SHEET 3 OF	4
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER: 628W11V	RAWING NUMBER: 628W11W1324-4N5	
YOUR CONNECTION TO QUALITY & SERVICE	MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	PART NUMBER: 628W11V	V1324-4N5	1



47.05

23.53

 TOLERANCE UNLESS OTHERWISE
 THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.


 .X
 ±0.25









25W3 Male








25W3 Female



13W3 Male




36W4 Male





30.50 16.62 15.72 15.24 15.72 15.24 20.70 15.62 15.72 15.24 20.70 15.62 15.72 15.24 20.70 15.24 20.70 15.72 15.24 15.72 15.72 15.24 15.72 15.24 15.72 15.24 15.72 15.24 15.72 15.72 15.24 15.72 15.24 15.72 15.24 15.72 15.24 15.72 15.24 15.72 15.72 15.24 15.72 15

13W6 Male



43W2 Male






.XX ±0.13 .XXX ±0.05

9W4 Female


13W3 Female



43W2 Female

47W1 Female

36W4 Female




17W5 Male


COMPLIANT




47W1 Male









			SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 628W11	V1324-4N5	ISSUE
			PART NUMBER: 628W11	V1324-4N5	1