

YOUR CONNECTION TO QUALITY & SERVICE

COMPLIANT

COPPER ALLOY, 5µ GOLD PLATING -25°C ~ 85°C 10mΩ MAX. 5000MΩ min. 1000V AC rms

STEEL, NICKEL PLATING


THERMOPLASTIC POLYESTER, UL94V-0


DRAWN: C.B DATE: JAN. 01/2019 CHECKED: DATE: OF SCALE: (IN C.A.D. 1:1) SHEET 1 4 628W5W5-124-1NA ISSUE DRAWING NUMBER: 2 PART NUMBER: 628W5W5-124-1NA

628 COMBO ASSEMBLY

ISSUE NUMBER

1 1 PANEL CUT-OUT ADDED 03/2024





OPERATING TEMPERATURE:

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE:


MANUFACTURE OR SALE OF APPARATUS

WITHOUT WRITTEN PERMISSION.


POWER CONTACT CURRENT RATING: 10A PER CONTACT

SW REFERENCE NO .:

ORIGINAL



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





(1)

21W4 Male/Female



/2 Male/Female



/1 Male/Female

JAN. 01/2019

ISSUE

1

3 OF 4

14.48			\$* ++	
		11W1 Male/Female	27W2	
	8W8 Female		-	
47.06 - 23.63 - 14.48 - 14.48 - 90 - 90	$\begin{array}{c} 53.50 \\ \hline 31.76 \\ \hline 22.83 \\ \hline \end{array}$			
CURRENT RATING	 	17W2 Male/Female	21W1	
10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2		47.00 23.55 1.3.85 1.3.85 0.31	A A A A A A A A A A A A A A A A A A A	
			SW REFERENCE N	
	COMBI	COMBINATION D-SUB		
RIES FULLY CONFORMS TO	EDAC	ARE THE PROPERTY OF EDAC IN	NC.,AND	
ROPEAN UNION DIRECTIVES		ONTARIO SHALL NOT BE REPRODUCED, OF		




THIS SERI THE EUROP 2011/65/EU FOR RoHS COMPLIANCY.

COMBINATION D-SUB			SW REFERENCE NO.: 628 COMBO ASSEMBLY				
			DRAWN: C.B		DATE:	JAN.	01/20
		CHECKED:		DATE:			
	EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S		SHEET	3	OF
	TORONTO, ONTARIO CANADA		DRAWING NUMBER:	628W5W5-124-1NA			
YOUR CONNECTION TO	O QUALITY & SERVICE		PART NUMBER:	628W5W	5-124-1N	A	

23.53

5W5 Female


5W5 Male




47.05

14.48

8W8 Male



63.50



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male










36W4 Female





13W3 Male



36W4 Male







13W6 Male



43W2 Male





17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female





47W1 Female





17W5 Male


COMPLIANT



47W1 Male







			SW REFERENCE NO.: 628 COMBO ASSEMBLY		
	COMBINATION	DRAWN: C.B	DATE: JAN. 01/20	19	
			CHECKED:	DATE:	
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC., AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 628W5W5-124-1NA		ISSUE
			PART NUMBER: 628W5W	W5W5-124-1NA 1	