





THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.




PANEL THICKNESS


THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER.



1

1





NOTES:

.X ±0.25 .XX ±0.13 .XXX ±0.05

> MATERIAL: HOUSING:

SHELL: CONTACT:

OPERATING TEMPERATURE:

SIGNAL CONTACT CURRENT RATING: 5A PER CONTACT SIGNAL CONTACT RESISTANCE: **INSULATOR RESISTANCE:** DIELECTRIC

 $10m\Omega$ MAX. 5000MΩ min.

-25°C ~ 85°C


THERMOPLASTIC POLYESTER, UL94V-0

COPPER ALLOY, 5µ GOLD PLATING


STEEL, NICKEL PLATING

WITHSTANDING VOLTAGE: 1000V AC rms POWER CONTACT CURRENT RATING: 40A PER CONTACT

		SW REFERENCE NO.: 628 COMBO ASSEMBLY				
		DRAWN: C.B	DATE: JAN. 01/2019			
		CHECKED:	DATE:			
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND	SCALE: (IN C.A.D. 1:1)	SHEET 1 OF	4		
TORONTO, ONTARIO CANADA	SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWING NUMBER: 628W5W5-124-4ND		ISSUE		
YOUR CONNECTION TO QUALITY & SERVICE		PART NUMBER: 628W5W5-124-4ND		2		



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25 .XX ±0.13 .XXX ±0.05



2W2 / 2WK2

3W3 / 3WK3

5W1 Male/Female

7W2 Male/Female





 $\overline{(1)}$


21W4 Male/Female



27W2 Male/Female




21W1 Male/Female



COMBINATION D-SUB		SW REFERENCE NO.: 628 COMBO ASSEMBLY					
		DRAWN: C.B		DATE: JAN. 01/2019		2019	
		CHECKED:		DATE:			
EDAC INC	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE:	N.T.S		SHEET	3 01	= 4
CANADA OR USED		DRAWING NUMBER: 628W5W5-124-4ND		ISSUE			
		PART NUM	/BER:	628W5W5	5-124-4ND		1

5W5 Male

5W5 Female




47.00


23.53

8W8 Male






11W1 Male/Female




17W2 Male/Female


CURRENT RATING / ØA 10A / 2.2 20A / 3.3 30A / 3.7 40A / 4.2





COMPLIANT






31.76

22.83

Г

YOUR

8W8 Female



THIS IS A C.A.D. GENERATED DRAWING TOLERANCE UNLESS OTHERWISE SPECIFIED DO NOT MAKE MANUAL REVISIONS TO MASTER. .X ±0.25







25W3 Male










36W4 Female





13W3 Male



36W4 Male







13W6 Male



43W2 Male





17W5 Female

.XX ±0.13 .XXX ±0.05

9W4 Female

13W3 Female





47W1 Female





17W5 Male


COMPLIANT



47W1 Male







		SW REFERENCE NO.: 628 COMBO ASSEMBLY			
	COMBINATION	COMBINATION D-SUB DRAWN: C.B		DATE: JAN. 01/2019	
		CHECKED:	DATE:		
THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.	EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: N.T.S	SHEET 4 OF	4
			DRAWING NUMBER: 628W5W	5-124-4ND	ISSUE
			PART NUMBER: 628W5W	RT NUMBER: 628W5W5-124-4ND	