

0

0 0

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

12.15 8 3.05 6.35 2.54 **-** 10.45

NYLON, BLACK, UL 94V-0 PHOSPHOR BRONZE,

SELECT 15µ" GOLD PLATING ON CONTACT AREA

TIN ON TAILS OVER NICKEL

125 VAC RMS 1.5 AMPS @25°C $20m\Omega$ MAX

1000 MΩ MIN @ 500V DC

5. DIELECTRIC WITHSTANDING: 1000V AC CONTACT TO CONTACT OR

1500VDC CONTACT TO SCREEN AND TEST PANEL

@0.5mA 50Hz OR 60Hz 60s

750 CYCLES MIN 30N/3.06KG MAX 7. MATING/UNMATING FORCE: 8. RETENTION STRENGTH: 30N MIN FOR 60s ±5s

9. OPERATING TEMP: -40°C TO +85°C

-40°C TO +85°C RELATIVE HUMIDITY <80% 10. STORAGE TEMP:

MATES WITH MODULAR PLUG CONFORMING TO FCC PART 68, SUBPART F.

RJ45, 4 PORTS, RIGHT ANGLE PCB MOUNT

THIS SERIES FULLY CONFORMS TO THE EUROPEAN UNION DIRECTIVES 2011/65/EU FOR RoHS COMPLIANCY.

•

-- 8.89 - 11.43 0 0 0



0

0 0 0

EDAC INC TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC..AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

ACAD REFERENCE NO.: J60 Assembly		
DRAWN: C.B	DATE: January 16, 2020	
CHECKED:	DATE:	
SCALE: 1:1	SHEET 1 OF 2	

DRAWING NUMBER: J60 Assembly **ISSUE** PART NUMBER: J60018832N00101


TOLERANCE UNLESS OTHERWISE SPECIFIED .X ±0.25 .XX ±0.13

.XXX ±0.05

DO NOT MAKE MANUAL REVISIONS TO MASTER.

THIS IS A C.A.D. GENERATED DRAWING

ISSUE NUMBER ORIGINAL



SUGGESTED PCB LAYOUT

RJ45, 4 PORTS, RIGHT ANGLE PCB MOUNT

YOUR CONNECTION TO QUALITY & SERVICE

EDAC INC TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC..AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

ACAD REFERENCE NO.: J60 A	ssembly	
DRAWN: C.B	DATE: January 16	, 2020
CHECKED:	DATE:	
SCALE: 2:1	SHEET 2 OF	2
DRAWING NUMBER: 160 Accombly		ISSLIE

DRAWING NUMBER: J60 Assembly ISSUE PART NUMBER: J60018832N00101